



5.2 Information signage

5.2.1 Combined pylon

The combined pylon brings together all classes of signage in a unit. It gives immediate overall orientation in a single sign.

Double unit pylon combined sign



This is a combined pylon. It is made up of the departmental identifier, information signage and way finding.

Single unit pylon combined sign





5.2 Information signage

5.2.2 Wall-projecting signs

Wall projecting signs can be used to indicate business and building names. Legibility and location should be the determining factor in selecting the size of the required sign. Wall projecting signs are set at right angles to the mounting surface.



Vertical arrangement of information signage in relation to primary identifier of departments.



Horizontal arrangement of information signage in relation to primary identifier of departments.



5.2 Information signage

5.2.3 Wall-mounted signs

Wall-mounted signs can be used to indicate business and building names.

Legibility and location should be the determining factor in selecting the size of the required wall-mounted sign.



Visitors information
indicating floor or
department.



Signage for reception.



Personal sign specification
of offices.






5.2 Information signage

5.2.4 Way finding signs


Wall projecting signs typically appear in prominent positions where they can be seen by members of the public. They also carry directional arrows and content that inform visitors and staff.



Wall-mounted signs indicate the direction or the building block.



Wall-mounted sign.



Ceiling-mounted sign.



5.2 Information signage

5.2.5 Window Decals

The full emblem, in light grey (sandblasted effect) should be placed on glass doors and windows, to enhance safety and visibility of the emblem.







5.2 Information signage

5.2.6 Office hours sign

The light grey (sandblasted effect) should be placed on glass doors and windows, to enhance safety, visibility and to communicate important information. All text to be reversed out of a cool grey background. Double doors: The department logo should be placed on the left door. The 'office hours' and or other information should be on the right. Single doors: The department logo should be above and all other information below.



Size: 400mmX460mm
Headline: Arial Bold
Size: 95pt
Information: 65pt
Other info: 30pt

2XC	
	the dplg Department: Provincial and Local Government REPUBLIC OF SOUTH AFRICA
Office Hours	
	Mon 8:30 to 4:30 Tues 8:30 to 4:30 Wed 8:30 to 4:30 Thurs 8:30 to 4:30 Fri 8:30 to 3:30 Sat Closed Sun Closed
	Lunch between 13h00-14h00 We are closed on Public Holidays
2XC	